



| | | | | | | | | | |
|--------------------|--|---------------------|--|------------|--|---------------------|--|-------------------------|--|
| Verwendungsbereich | | Zahl. Abw. | | Oberfläche | | Maßstab | | Gewicht | |
| AMS II | | DIN ISO 2768 mittel | | N10 | | 2:1 | | PC | |
| 00 | | Datum | | Name | | Benennung | | Endpiece (readout side) | |
| 0.7 Taschen | | Bearb. 28.08. | | Wiedel | | Werkstoff, Halbzeug | | TRD 2m Prototyp Chamber | |
| 0.6 Bohrung | | Gepr. | | Name | | Zeichnungsnummer | | ams1939b | |
| Änderung | | Revisions-Nr. | | Name | | Ers. f.: | | Ers. d.: | |
| 1 | | 1 | | 1 | | 1 | | 1 | |
| 2 | | 2 | | 2 | | 2 | | 2 | |
| 3 | | 3 | | 3 | | 3 | | 3 | |
| 4 | | 4 | | 4 | | 4 | | 4 | |
| 5 | | 5 | | 5 | | 5 | | 5 | |
| 6 | | 6 | | 6 | | 6 | | 6 | |
| 7 | | 7 | | 7 | | 7 | | 7 | |
| 8 | | 8 | | 8 | | 8 | | 8 | |
| 9 | | 9 | | 9 | | 9 | | 9 | |
| 10 | | 10 | | 10 | | 10 | | 10 | |
| 11 | | 11 | | 11 | | 11 | | 11 | |
| 12 | | 12 | | 12 | | 12 | | 12 | |
| 13 | | 13 | | 13 | | 13 | | 13 | |
| 14 | | 14 | | 14 | | 14 | | 14 | |
| 15 | | 15 | | 15 | | 15 | | 15 | |
| 16 | | 16 | | 16 | | 16 | | 16 | |
| 17 | | 17 | | 17 | | 17 | | 17 | |
| 18 | | 18 | | 18 | | 18 | | 18 | |
| 19 | | 19 | | 19 | | 19 | | 19 | |
| 20 | | 20 | | 20 | | 20 | | 20 | |
| 21 | | 21 | | 21 | | 21 | | 21 | |
| 22 | | 22 | | 22 | | 22 | | 96.3 | |
| 23 | | 23 | | 23 | | 23 | | 88.3 | |
| 24 | | 24 | | 24 | | 24 | | 7.5 | |
| 25 | | 25 | | 25 | | 25 | | 0.6 | |
| 26 | | 26 | | 26 | | 26 | | 1.5 H7 | |
| 27 | | 27 | | 27 | | 27 | | 0.7 | |
| 28 | | 28 | | 28 | | 28 | | Tasche 2.5 tief | |
| 29 | | 29 | | 29 | | 29 | | 0.7 | |
| 30 | | 30 | | 30 | | 30 | | W10:1 | |
| 31 | | 31 | | 31 | | 31 | | 2.6 | |
| 32 | | 32 | | 32 | | 32 | | 0.6 | |
| 33 | | 33 | | 33 | | 33 | | Z5:1 | |
| 34 | | 34 | | 34 | | 34 | | Y10:1 | |
| 35 | | 35 | | 35 | | 35 | | 3 | |
| 36 | | 36 | | 36 | | 36 | | 1 | |
| 37 | | 37 | | 37 | | 37 | | 3.35 +0.03 | |
| 38 | | 38 | | 38 | | 38 | | Ø 4 +0.05 | |
| 39 | | 39 | | 39 | | 39 | | 2.5 | |
| 40 | | 40 | | 40 | | 40 | | umlaufend | |
| 41 | | 41 | | 41 | | 41 | | X5:1 | |
| 42 | | 42 | | 42 | | 42 | | 7.5 | |
| 43 | | 43 | | 43 | | 43 | | 5 | |
| 44 | | 44 | | 44 | | 44 | | 0.5 | |
| 45 | | 45 | | 45 | | 45 | | 1 | |
| 46 | | 46 | | 46 | | 46 | | -0.1 | |
| 47 | | 47 | | 47 | | 47 | | -0.2 | |
| 48 | | 48 | | 48 | | 48 | | H6 | |
| 49 | | 49 | | 49 | | 49 | | 4 | |
| 50 | | 50 | | 50 | | 50 | | +0.05 | |